

# d-Copia

4523MFplus , 4524MF plus , 5524MF

**PRODUCTIVITY, QUALITY AND SECURITY WITH  
CONSIDERATION FOR THE ENVIRONMENT**

The 45 and 55 pages per minute multifunction printers are the ideal choice for medium and large-sized work groups, even in hybrid working situations. These devices offer the optimum balance between compactness, simplicity of use, quality of performance and data security, all with the utmost respect for environmental requirements.

Document workflow is facilitated and optimised by the sleek and intuitive interface of the wide colour control panel, which can be personalised and is compatible with the JaWS integrated software development platform.

The long-lasting components ensure exceptional reliability and help to reduce operating costs as well as environmental impact.

The 55 pages per minute model is designed to manage high printing and scanning workloads; thanks to the document feeder with duplex scanning in only one step, up to 120 pages can be scanned per minute.



## HIGH PERFORMANCE

The multifunction printers can be configured for four additional (optional) paper feed trays for up to 2,600 sheets; the standard 1.5 GB memory can be expanded up to 3.5 GB, allowing for better performance in the case of multiple copies and prints or scans of complex documents.

The **Data Security Kit** is already built into the machine and can be activated with the installation of an optional storage device; it ensures that the data saved by the multifunction printers during processing are immediately deleted and overwritten once the process is complete.

Some of the main security features of this range include: an encryption method that improves email security; encryption certification validity checks; device function monitoring with detection of unauthorised activities, and greater security due to the TLS communication protocol.

The possibility to scan in colour or monochrome and send directly to USB, email recipients (scan-to-email), server folders (scan-to-FTP) or shared folders on a PC (scan-to-SMB), speeds up business processes and prevents unnecessary printing.

## MOBILE PRINTING

Thanks to the IB-54 and IB-55 options, all the models can connect to **wireless** devices using an access point: IB-54 makes it possible to operate at 5GHz/2.4GHz, while IB-55 (2.4GHz only) is suitable in cases where the 5GHz band is not permitted.

Users can also install the USB wireless network interface kit and configure the connection settings to print via **Wi-Fi Direct**®. Once again, there are two options: IB-37 (USB: 5GHz/2.4GHz) and IB-38 (USB: 2.4GHz).

## LOWER ENVIRONMENTAL IMPACT

The many features of these devices are intended to protect the environment: lower energy consumption, environmentally friendly parts, limited packaging, pre-installed toners, low emissions, long-lasting components and the use of recycled materials. In particular, a higher percentage of **recovered plastic material** has been used to produce the covers, increasing from 2.2% in the previous range to the current 7.1%.

## ESSENTIAL FUNCTIONS FOR THE MODERN OFFICE

The **7-inch touchoperation panel** has a tilt mechanism that reduces the backlight when energy saving mode is detected. The new user interface uses fewer colours to **improve visibility**; the icons and the graphics have also been simplified to allow for a simpler workflow management, thus reducing the risk of mistakes.

The entire range has been equipped with an ARM Cortex-A53 Dual Core 1.4GHz processor, which, in addition to improving general performance and allowing for increased productivity, guarantees **lower consumption** and a consequent decrease in environmental impact, as well as energy bills.

The new optional HD-17 64GB, HD-18 256GB and HD-19 512GB hard disks significantly increase the **storage capacity** and performance of the multifunction printers.

Multi-page documents are easy and fast to manage using the 75-sheet **reversing automatic document feeder** for the 45 ppm models and the 100-sheet **Dual-Scan feeder** for the 55 ppm model. Plus, if DP reading detects a missing image border due to a fold in the paper, an alert sounds and scanning stops automatically to prevent the completion of a job with imperfections. Lastly, dedicated sensors can identify whether the input paper has staples to prevent the scan of several sheets at once.

The **MS-5100 B manual stapler**, available as an optional for the 55 ppm model, staples up to 20 sheets of 80g/m<sup>2</sup> paper.

The **Scan Extension Kit** makes it possible to generate searchable files by converting images acquired from printed text into **editable text**, into PDF as well as Office format (Word, Excel and Power Point). It can also automatically rotate images to the correct orientation, so users will no longer need to manually turn the pages of the documents being scanned.



High paper capacity with optional feed trays  
(picture referred to 45 ppm models)



Automatic single-pass document feeder  
(55 ppm model only)



MS-5100B stapler  
(55 ppm model only)

## TECHNICAL SPECIFICATIONS 4523MF<sup>plus</sup> 4524MF<sup>plus</sup> 5524MF

GENERAL			
Type:	Desk Printer/Scanner/Copier		Desk Printer/Scanner/Copier/Fax Machine
Technology:	Black and white laser; JaWS (Java and Web Solutions) software development platform		
Print/copy speed (per minute):	Up to 45 A4 ppm		Up to 55 A4 ppm
Duplex print/copy speed (per minute):	Up to 22.5 A4 ppm		Up to 39.5 A4 ppm
Processor:	ARM Cortex-A53 Dual Core 1.4GHz		
Resolution:	1200x1200 dpi (print), 600x600 dpi (scan/copy)		
Operation panel:	7" colour touch display with control panel, speaker for job alerts		
Warm-up time:	Max 23 sec.		Max 25 sec.
First print time:	Max 5.3 sec.		Max 4.5 sec.
First copy time from DP:	Max 6 sec.		Max 4.5 sec.
First copy time from glass:	Max 7 sec.		
Memory:	Standard 1.5 GB; max. 3.5 GB (optional)		
Standard interfaces:	USB 2.0 (Hi-Speed), 1 USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT), Wireless LAN optional (IEEE 802.11b/g/n), 1 eKUIO slot for optional internal print server or SSD hard disk, slot for optional SD card		
Built-in counter:	100 department codes		
Duty cycle (pages/month):	15,000		16,500
Weight:	Base unit approx. 22.5 kg		Base unit approx. 24.1 kg
Dimensions (W x D x H):	Base unit: 475 x 476 x 575 mm		Base unit: 480 x 495 x 590 mm
Power supply:	AC 220 V ~ 240 V, 50/60 Hz		
Energy consumption while printing: Energy consumption	599.4 W	563.8 W	704.1 W
while copying: Energy consumption	591.9 W	626.3 W	719 W
in ready mode: Energy consumption	57.2 W	56.3 W	59.4 W
consumption in stand-by:	0.5 W	0.6 W	0.5 W
Noise level (according to ISO 7779/ISO 9296)	69.1 dB(A) LpA		71 dB(A) LpA
- during printing/copying:	38.5 dB(A) LpA		39.8 dB(A) LpA
- in stand-by:	0.62		0.78
TEC (kWh/wk):			

Safety standards: GS, TÜV, CE. These products have been manufactured in compliance with the ISO 9001 quality standard and the ISO 14001 environmental direct

### PAPER HANDLING

Multi-use bypass:	100 sheets, 60-220 g/m <sup>2</sup> , A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70×140 mm - 216×356 mm), paper for banner		
Standard tray:	500 sheets, 60-120 g/m <sup>2</sup> , A4, A5, B5, Letter, Legal, Folio, Custom (140×210 mm - 216×356 mm)	500 sheets, 60-120 g/m <sup>2</sup> , A4, A5, A6, B5, L Legal, Folio, Custom (105×148 mm - 216×356 mm)	
Optional tray:	500 sheets, 60-120 g/m <sup>2</sup> , A4, A5, B5, Letter, Legal, Custom (92×162 mm - 216×356 mm); (max 4 additional trays)		
Maximum input paper capacity: Duplex automatic document feeder:	75-sheet RADF, 50-120 g/m <sup>2</sup> , A4, A5, A6, B5, Letter, Legal, Custom (105×148mm - 216×356 mm)		100-sheet single-pass; 50-120 g/m <sup>2</sup> , A4, A6, B5, Letter, Legal, Custom (105×148 - 216×356 mm)
Output paper capacity:	Max 250 sheets face down		Max 500 sheets face down with paper full s
Standard duplex function:	60-120 g/m <sup>2</sup> , A4, A5, B5, Letter, Legal, Custom (140×210 - 216×356 mm)		

Print speed per minute:	Up to 45 A4 ppm		Up to 55 A4 ppm
Emulations:	PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, AES, Direct Print TIFF/JPEG, Open XPS, PWG Raster, PCLm, Line Printer, IBM Proprinter, Epson LQ-850		
Operating systems:	All current Windows operating systems, Mac OS X 10.9 or later, Chrome OS, Linux		
Fonts/Barcodes:	93 scalable fonts (PCL6/KPDL3); 4 fonts (Calibri); 4 fonts (Cambria); 1 Bitmap font; 45 types of one-dimensional barcodes 1 type of two-dimensional barcode (PDF417)		
Mobile printing supported: Print functions:	Olivetti Mobile Print for iOS and Android, AirPrint®, Wi-Fi Direct® (optional) Direct PDF printing, IPP 1.0 internet printing, email printing, WSD printing, secure IPP printing via TLS, local and network authentication, IPsec network data encryption, HTTPS, LDAP via TLS, SNMPv3, SMTP via TLS, POP via TLS, encrypted direct printing, printing for Chrome OS		

### COPY FUNCTION

Max copy speed:	45 x A4 ppm		55 x A4 ppm
Reduction/magnification ratios:	7 reductions/5 magnifications		
Max format of original:	A4, Legal		
Continuous copying:	1-999		
Zoom:	25-400 % with increments of 1 %		
Image adjustment:	Text + photo, photo, text, diagram/map, printed document		
Other functions:	Electronic collation, identity card copying, 2-in-1, 4-in-1, automatic tray selection, blank page removal		

## SCAN FUNCTION

<b>Features:</b>	Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WIA, WSD scan, scanning on Chrome OS, AirPrint®
<b>Scan speed:</b>	<i>One side only:</i> 60 ipm (300 dpi, A4, B&W), 40 ipm (300 dpi, A4, colour)   <i>duplex:</i> 26 ipm (300 dpi, A4, B&W), 17 ipm (300 dpi, A4, colour)   <i>duplex:</i> 120 ipm (300 dpi, A4, B&W), 80 ipm (300 dpi, A4, colour)
<b>Scan resolution:</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 256-level grey scale
<b>Maximum scan format:</b>	A4, Legal
<b>Identifying originals:</b>	Text, photo, text + photo, light text/fine lines, optimised for OCR
<b>Image format:</b>	TIFF/JPEG, XPS, Open XPS, PDF, PDF/A, PDF/A-1a/b, PDF/A-2a/b/u, encrypted PDF, high compression PDF
<b>Compression method:</b>	MMR/JPEG
<b>Other features:</b>	Banner scanning, colour scanning, integrated address book, Active Directory, encrypted data transfer, simultaneous multiple sending (email, fax, SMB/FTP folder, print), skip blank page

## FAX FUNCTIONS (except d-Copia 4523MFplus)

<b>Compatibility:</b>	-	Super G3
<b>Modem speed:</b>	-	Max 33.6 kbps
<b>Transmission time:</b>	-	Max 3 seconds
<b>Scan speed:</b>	-	Max 2 seconds
<b>Fax resolution:</b>	-	Normal 200x100 dpi, Fine 200x200 dpi, Superfine 200x400 dpi, Ultrafine 400x400 dpi
<b>Max format of original:</b>	-	A4, Legal
<b>Compression method:</b>	-	JBIG, MMR, MR, MH
<b>Address book:</b>	-	200 contacts
<b>Multiple transmission:</b>	-	Up to 100 recipients 256 pages or more
<b>Received memory:</b>	-	Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast
<b>Other features:</b>	-	

## CONSUMABLES

The average life of the toner cartridges complies with ISO/IEC

<b>T9752</b>	Up to 14,500 A4 pages (initial toner up to 6,000 pages)	
<b>Black toner cartridge (B1445)</b>		Up to 25,000 A4 pages (initial toner up to 10,000 pages)
<b>Black toner cartridge (B1448)</b>	Up to 300,000 pages	
<b>Maintenance kit (B1450)</b>		Up to 500,000 pages
<b>Maintenance kit (B1451)</b>		
<b>Maintenance kit for document feeder (B1144)</b>	Up to 200,000 pages	
<b>Maintenance kit for document feeder (B1295)</b>		Up to 200,000 pages
<b>Staple cartridge (B1189)</b>	-	SH-13, 2 packs of 1,500 staples

## OPTIONS

<b>Paper tray (B3928)</b>	PF-3110 x 500 sheets (max 4 additional trays)
<b>PT-320 (B4365)</b>	-
<b>MS-5100 B (B3625)</b>	Paper output tray 250 sheets face-up Stapler: up to 20 sheets; includes 1,500 metal staples
<b>CB-365W L (B3687)</b>	-
<b>CB-360W H (B3686)</b>	Cabinet with paper compartment (low) 38 cm x 41 cm x 25 cm
<b>CA-3100 (B2331)</b>	Cabinet with paper compartment (high) 38 cm x 41 cm x 51 cm
<b>Memory expansions:</b>	
<b>HD-17 (B2323)</b>	Caster kit: unit with casters for added stability. Mandatory when installing 4 optional paper feed trays
<b>HD-18 (B2324)</b>	MM-20 (1GB)/MM-21 (2GB), DDR3-144pin DIMM
<b>HD-19 (B2325)</b>	64 GB SSD hard disk
<b>Scan Extension Kit (A) (B4498)</b>	256GB SSD hard disk
<b>IB-37 (B2215)/IB-38 (B2216)</b>	512GB SSD hard disk
<b>IB-53 (B2341)</b>	Searchable PDF scanning (integrated OCR), MS Office (docx, xlsx, pptx). Requires HD or optional SD card
<b>IB-54 (B2342)/IB-55 (B2343)</b>	Wireless LAN (802.11b/g/n) with Wi-Fi Direct®: IB-37 2.4-GHz and 5-GHz; IB-38 2.4-GHz
<b>UG-33 (B8403)</b>	Gigabit Ethernet Board 10 BaseT/100 BaseTX/1000 BaseT
<b>UG-50 (B2326)</b>	Wireless network interface (802.11b/g/n): IB-53 2.4-GHz and 5-GHz; IB-54 2.4-GHz
<b>USB IC-Card reader (+ Card Authentication Kit (B) - B8237)</b>	ThinPrint support
<b>Card Reader Holder 10 (B4845)</b>	TPM (Trusted Platform Module)
	Supports various types of authentication/card/badge reading
	Plastic support to integrate the badge reader into the control panel